

GIGABYTE A620M H AM5 Micro-ATX Motherboard

Sale Price: 11800.0



PRODUCT ID: 02543

Basic Information

Supported CPU	AMD Socket AM5, support for: AMD Ryzen 7000 / Ryzen 8000 / Ryzen 9000 Series Processors
Chipset	AMD A620
BIOS	1 x 256 Mbit flash Use of licensed AMI UEFI BIOS PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0
Form Factor	Micro ATX Form Factor; 23.0cm x 22.5cm
Audio	Realtek® Audio CODEC High Definition Audio 2/4/5.1/7.1-channel

Expansion Slots

PCI	1 x PCI Express x16 slot, integrated in the CPU: AMD Ryzen 7000 Series Processors support PCIe 4.0 x16 mode AMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x8 mode AMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4 mode * The PCIEX16 slot can only support a graphics card or an NVMe SSD. Chipset: 1 x PCI Express x1 slot, supporting PCIe 3.0 and running at x1
-----	---

Memory

Type	DDR5
Slots	2 x DIMM
Supported Memory	6400(OC)/6200(OC)/6000(OC)/5600(OC)/5200/4800/4400 MT/s memory modules Dual channel memory architecture Support for non-ECC Un-buffered DIMM 1Rx8/2Rx8/1Rx16 memory modules Support for AMD EXtended Profiles for Overclocking (AMD EXPO™) and Extreme Memory Profile (XMP) memory modules
Maximum Memory	supporting up to 96 GB (48 GB single DIMM capacity) of system memory

Basic Information

Graphics

Graphics

supporting a maximum resolution of 3840x2160@144 Hz

* Support for DisplayPort 1.4 version.

supporting a maximum resolution of 4096x2160@60 Hz

* Support for HDMI 2.1 version and HDCP 2.3.

** Support for native HDMI 2.1 TMDS compatible ports.

Connector & Ports

HDMI	1 x HDMI
Display Port (s)	1 x DisplayPort
USB (s)	CPU: 2 x USB 3.2 Gen 1 ports on the back panel 1 x USB 2.0/1.1 port on the back panel Chipset: 2 x USB 3.2 Gen 1 ports available through the internal USB header 7 x USB 2.0/1.1 ports (3 ports on the back panel, 4 ports available through the internal USB headers)
LAN Port (s)	Realtek GbE LAN chip (1 Gbps/100 Mbps/10 Mbps)
Supported Storage	1 x M.2 connector, integrated in the CPU, supporting Socket 3, M key, type 2580 SSDs: AMD Ryzen 7000 Series Processors support PCIe 4.0 x4/x2 SSDs AMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x4/x2 SSDs AMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4/x2 SSDs 4 x SATA 6Gb/s connectors
RAID	RAID 0, RAID 1, and RAID 10 support for NVMe SSD storage devices RAID 0, RAID 1, and RAID 10 support for SATA storage devices
Audio	3 x audio jacks

Basic Information

Internal I/O Ports	1 x 24-pin ATX main power connector 1 x 8-pin ATX 12V power connector 1 x CPU fan header 2 x system fan headers 1 x addressable LED strip header 1 x RGB LED strip header 1 x M.2 Socket 3 connector 4 x SATA 6Gb/s connectors 1 x front panel header 1 x front panel audio header 1 x USB 3.2 Gen 1 header 2 x USB 2.0/1.1 headers 1 x Clear CMOS jumper Back Panel Connectors 4 x USB 2.0/1.1 ports 1 x PS/2 keyboard/mouse port 1 x Q-Flash Plus button 2 x USB 3.2 Gen 1 ports 1 x DisplayPort 1 x HDMI port 1 x RJ-45 port 3 x audio jacks
TPM (Trusted Platform Module)	1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only)

Others

Special Features	Support for GIGABYTE Control Center (GCC) Support for Q-Flash Support for Q-Flash Plus
Bundled Software	Norton Internet Security (OEM version) LAN bandwidth management software

Warranty Information

Manufacturing Warranty	3 Years
------------------------	---------